


CERTIFIED MATERIAL REPORT

CMR No. : HDV – 2026 – 0438

Date of Issue : 2026 – 03 – 04



www.QuehanHyundai.com

Trade Name	SMT-308H	Size	2.4 mm x 1,000 mm
Lot No.	P131824	Purchaser's Order No.	HWC-TMV-251201V1
Specification	AWS A5.9 ER308H * According to EN 10204-2004 : 3.1		
Welding Current	-	Shielding Gas	-
		Post Weld Heat Treatment (°C×hr.)	-

Mechanical Properties

Weld Metal	Tensile Test			Impact Test (CVN - Joule)				
	YS (MPa)	TS (MPa)	EL (%)	Temp. (°C)	X ₁	X ₂	X ₃	Avg.
	-	625	35.0	-	-	-	-	-
AWS Spec.	-	-	-	-				

Chemical Composition (%)

Weld Metal	C	Si	Mn	P	S	Cu	Ni	Cr	Mo
	0.05	0.59	2.17	0.021	0.012	0.06	9.9	19.9	0.06
AWS Spec.	0.04 ~0.08	0.30 ~0.65	1.0 ~2.5	≤0.03	≤0.03	≤0.75	9.0 ~11.0	19.5 ~22.0	≤0.50

Others

* Q'ty: 500 kg

We hereby certify that the material covered by this report has been inspected in accordance with and been found to meet the applicable requirements of specification and customer's requirements.

Approved by



QA Manager Pham Dinh Anh Vu

HYUNDAI WELDING VINA CO., LTD.

N2 Street, Nhon Trach 5 IZ, Nhon Trach Commune, Dong Nai Province, Vietnam.